

KARALAMBEV, N.; KAZAKOVA, M.; KOVACHEVA, N.

Clinical picture of non-specific bacterial food poisoning. Suvrem. med., Sofia 8 no.11:97-105 1957.

1. Iz Instituta za burza meditsinska pomoshch N. I. Pirogov (Gl. lekar: B. Devetakov).

(FOOD POISONING, case reports, non-specific bact. pois. (Bul))

**建筑的建筑的多种,直接的连接,将这些企业是不是是是是的**经历的,但是是是国际的代表的重要,并是是经验的现在的。

## KARALAMBEV, N.

On atypical clinical course of lymphomononucleosis. Suvrem med., Sofia no.12:123-127 \*60.

1. Iz Instituta za burza meditsinska pomosht "N.I.Pirogov" (glaven lekar Khr.Zdravkov)
(INFECTIOUS MONONUCLEOSIS case reports)

	KAHADVIE, KOROLDÍ, G.	
	And the second s	
	factor (in Hungarian), Hidrologiai Körlöny 35, 5/6, 195-201,	4
0	May/June, 1905.  Considerations on the range of validity of Darcy's law, which theoretically never applies to scepage problems. At greater velocities in coarso soils, an expression of second degree gives more reliable results; in soils with fine grains (silt, clay), the effect of molecular forces (microscepage) has to be considered; the problem leads to the mechanics of viscoplastic fluids. In scepage problems, the Bernouilli equation has to be used with consideration of the terms of losses. In pumping tests, the results often display deviations from Darcy's law; in most cases, this is caused by inhomogeneity of soil or lack of permanent scepage.  A. Kézdi, Hungary	
		ere e alexade de la

KARAL'KIN, P.I.

Bees - Khakass Autonomous Province

Wild bee industry in southern Khakass, Izv. Vses. geog. obshch., 84, No. 1, 1952.

Monthly List of Russian Accessions, Library of Congress, March 1952. UNCLASSIFIED.

KARALAMBEV, N.; DIMOV, G.

On surgical complications in salmonellosis. Khirurgiia, Sofia 13 no.7/8:654-659 \*60.

1. Institut za burza meditsinska pomosht "N.I.Pirogov" (SALMONELLA INFECTIONS compl.)

KARALAMBEV, N.; KOVACHEVA, N.

A new case of myeloma. Suvrem med., Sofia no.9:119-124 60.

**以出版的设计的内容性。此以,但公司的实际的**心识的认识。在公司在中华,但也可以证明不是是不是

KARALITSKIY, Ye.M.; BOGACHEVA, L.G., dotsent, nauchnyy rukovoditel' raboty

Dystrophic bullous epidermolysis. Vest.derm. i ven. 38 no.5:77-80 My '64. (MIRA 18:12)

1. Kozhnoye otdeleniye respublikanskoy klinicheskov bol'nitsy (glavnyy vrach T.V.Moshnyaga) Moldavskoy SSR, Kishinev. Submitted April 5, 1963.

BORZOV, M.V.; (KARALITSKIY, Ye.M.

Materials on a study of liver function in patients with lupus erythematosus. Zdravookhranenie 3 no. 5:42-44 S-0 '60.

(MIRA 13:10)

KARAL'KIN, P. I.; KRYUKOVA, T. A.; PREDTECHENSKAYA, Z. B.

"Ispol'zovaniye etnograficheskikh kollektsiy kak istochnika v nauchnoissledovatel'skoy rabote (na opyte Gosudarstvennogo muzeya etnografii narodov SSSR)."

report submitted for 7th Intl Cong, Anthropological & Ethnological Sciences, Moscow, 3-10 Aug 64.

KARALINIK, A.

MOVING-PICTURE PROJECTORS

Problems in the organization of repair for motion picture equipment. Kinomekhanik. no. 8, 1952.

Monthly List of Russian Accessions, Library of Congress. November, 1952.

- 1. KARAL'NIK, A.
- 2. USSR (600)
- 4. Motor Trucks
- 7. AKP 2 truck for the transportation of motion-picture projection equipment. Kinomekhanik. no. 10, 1952.

9. Monthly List of Russian Accessions, Library of Congress, February 1953. Unclassified.

BOLOKHOVSKIY, A.; KARALINIK, A.

The PP-16-1 16 mm. motion-picture projector. Kinomekhanik no.9:20-27 S '53.

(MURA 6:9)

(Moving-picture projectors)

BOLOHOVSKIY, Aleksandr Mikhailovich; KARAL'NIK, Avraam Mutovich; PANFILOV, N.D., red.; MALEK, Z.N., tekhn, red.; SHILINA, Te.I., tekhn. red.

[Operation of narrow-width motion-picture projectors] Ekspluatatsiia uzkoplenochnykh kinoproektorov. Moskva, Gos. izd-vo "Iskusstvo," 1958. 238 p. (MIRA 11:7)

(Motion-picture projection)

BOLOKHOVSKIY, Aleksandr Mikhaylovich; KARAL'NIK, Avraam Nutovich; ZHERDETSKAYA, N.N., red.

THE PROPERTY OF THE PROPERTY O

[Motion-picture projectors for 16 mm films] Kinoproektory dlia 16-mm kinofil'mov. Moskva, "Iskusstvo," 1964. 319 p. (MIRA 17:6)

## KARAL'NIK, A.N.

The state of the s

Introduction of standards in mechanical drawing. Standartisatsiia no.3: 45-47 My-Je '54. (MLRA 7:6)

1. Glavnyy konstruktor Odesskogo savoda "KIHAP".
(Mechanical drawing-Standards)

## KARAL'NIK, B.V.; KHARITONOVA, A.I.

Rational method for determining saccharolytic properties of bacteria. Lab. delo 7 no.6:30-32 Je '61. (MIRA 14:7)

1. Karagandinskaya oblastniya sanitarno-epidemiologicheskaya stantsiya (glavnyy vrach B.F.Sidorenko).
(BACTERIA)

## KARAL'NIK, B.V.

Effect of formaldehyde and the subsequent action of certain factors on the optical density of microbe suspensions.

Mikrobiol. zhur. 25 no.3:6-9 163. (MIRA 17:1)

1. Uzhgorodskiy institut epidemiologii, mikrobiologii i gigiyeny.

KARAL'NIK, B.V. [Karal'nyk, B.V.]

Effect of heating and some chemical agents on the optical density of microbe suspensions. Mikrobiol. zhur. 25 no.2:15-21 '63.

1. Uzhgorodskiy institut epidemiologii, mikrobiologii i gigiyeny.

## KARAL'NIK, B.V.

Regimen of the sensitivization of erythrocytes with Vi-antigen of Salmonella typhi; author's abstract. Zhur.mikrobiol., epid. i immun. 40 no. 8:140 Ag '63. (MIRA 17:9)

1. Iz Uzhgorodskogo instituta epidemiologii, mikrobiologii i gigiyeny.

## KARAL'NIK, B.V.

Mechanism of the fixation of microbial cells by formaldehyde.

Mikrobiologiia 32 no.5:875-878 S-0'63 (MIRA 17:2)

1. Uzhgorodskiy nauchmo-issledovatel skiy institut epidmiologii, mikrobiologii i gigiyeny.

KARAL'NIK, B.V. [Karal'nyk, B.V.]

Inhibition of nonspecific bacteriolysis induced by heating microbe suspensions. Mikrobiol. zhur. 27 no.1:45-48 '65. (MIRA 18:7)

l. Uzhgorodskiy nauchno-issledovatel'skiy institut epidemiologii i mikrobiologii.

KONYUBAKINA, NoVos KARALINIK, BoVo

Use of erythrocytic Vi-diagnosticum for the detection of chronic typhoid carrier states. Zhuremikrobiole, epide 1 immune 12 no.103331-115 (0.165) (MIR: 18:11)

1. Vakarpatskaya obilastnaya sanitarna-spidemiologicheskaya stantsiya i Uzbgordskiy institut spidemiologif, mikrobiologif i gigiyony. Submitted September 8, 1964.

## KARAL'NIK, B.V.

Mechanism of the sensitization of erythrocytes with bacterial antigens. Quantitative regularities of the sensitization with Vi-antigen of Salmonella typhi. Biul. eksp. biol. i med. 60 no. 10:81-85 0 '65 (MTRA 19:1)

1. Uzhgorodskiy nauchmo-issledovatel'skiy institut epidemiologii, mikrobiologii i gigiyeny. Submitted January 2, 1963.

SEREBRYAKOVA, W.W., kand.med.nauk; KARAL'HIK, K.D.; LEKHTIK, L.M.

Diagnosis and clinical aspects of congenital heart defects in children. Vop.okh.mat.i det. 5 no.4:20-23 Jl-Ag 160.

1. Iz kafedry gospital noy pediatrii Sverdlovskogo meditsinskogo instituta.

(HEART--ABNORMITIES AND DEFORMITIES)

ACCESSION NR: AT4026356

\$/0000/62/000/000/0211/0214

AUTHOR: Karalinik, N. A.

TITLE: Experience in the production use of the "MOZU-1000" magnetic memory device (a development of the LEM VINITI)

SOURCE: Konferentsiya po obrabotke informatsii, mashinnomu perevodu i avtomaticheskomu chteniyu teksta. Moscow, 1961. Yy\*chislitel'naya i informatsionnaya tekhnika (information processing and computer technology); sbornik materialov konferentsii. Moscow, 1962, 211-214

TOPIC TAGS: memory, magnetic memory, MOZU-1000 magnetic memory, debugging, computer production

ABSTRACT: The Astrakhanskiy zavod elektronnoy apparatury\* i elektronny\*kh priborov (Astrakhan Electronic Equipment and Electronic Instruments Plant) has begun series production of operational magnetic memory devices of the MOZU-1000 type, based on a 1958 design of the LEM VINITI. At the present time, two pilot models have been manufactured and debugged, as a result of which the technical specifications for the ferrite cores employed in the unit have been refined, and a factory method has been worked out for checkout and debugging both of the individual unit elements as well as of the entire unit as a whole. This article deals with certain Cord 1/2

# ACCESSION NR: AT4026356

of these refinements and checkout techniques. Among the items considered are the cores themselves and investigations of the conditions of known core failures, the switching transformers, the decoders and decoder control circuits and the zero setting channel. Experience gained in the debugging of the two master models individualisms for the current values are carefully selected and the technical specifications for the various assemblies of the unit properly observed, calibration schedules for the MOZU-1000 may be shortened and the cost figures of series—produced equipment may be considerably reduced. It has also been established that a properly adjusted device is capable of stable operation despite 10% fluctuations from the rated feed voltages and also input pulses. Orig. art. has: 3 figures.

ASSOCIATION: none

SUBMITTED: 00

DATE ACQ: 16Apr64

ENCL: 00

SUB CODE: CP

NO REF SOV: GOO

OTHER: 000


Cord 2/2

とうないというとうないと、まなるないではないないというできないは、日本のでは、日本

KARAL'NIK, S.M.

GERTSRIKEN, S.D.; BUTSYK, M.G.; KARAL'HIK, S.M.

(Lead-mercury alloys)



KARAL'NIK, S.M.; NAKHODKIN, M.G.; MRLHSHKO, L.I.

Microradiography of various simple substances by means of secondary electrons depending on their atomic number. Dop. AN URSR no.3:255-257 '55. (MIRA 8:11)

1. Kiivs'kiy derxhavniy universitet. Predstaviv diyaniy chlen Akademii nauk URSR V.E. Lashkar'yov (Atomic mass)

KARAL WIK, S.M.

USSR/Optics - X-Rays.

к-8

Abs Jour

: Referat Zhur - Fizika, No 3, 1957, 8030

Author

: Karal'nik, S.M.

Title

: X-ray Spectral Investigations of Binary and Trinary Alloys Based on Metals of the Transition Group of Iron.

Orig Pub

: Nauk. zap. Kiivs'k. un-t, 1955, 14, No 7, 105-120

Abstract

X-ray spectra (fundamentally of the K absorption) were obtained in a spectrograph with a quartz crystal bent according to Johann, with a dispersion 7-8 X/mm. A study was made of the spectral of the components of iron-chromium, nickel-chromium (with small impurities of various elements), nickel-manganese alloys and of triple alloys of

cobalt, nickel, and chromium.

The following was established: (a) A shift of the K edges of the alloy components towards the same short-wave side of the short-waves (compared with pure metals); this shift increases with increasing concentration of the

Card 1/3

- 120 -

## APPROVED GORXELEASE: 06/13/2000 CIA-RDP86-00513R000720530005-9"

Abs Jour : Referat Zhur - Fizika, No 3, 1957, 8030

added element and which reaches several electron volts. (b) An increase in the shift of the K edges of the components in the alloy Mi Mn after order is established in it. (c) A noticeable change in the index of asymmetry KK1.2 of the lines of the components upon change of composition of the alloys. (d) A noticeable shift in the k-edges of the fundamental components of the alloys under the influence of small impurities of the third element. (e) A certain parallelism in the variation of the ferromagnetic state of alloys and in the change of the K-edges of the components of the alloys. Attention is paid to the difficulties in interpreting the results from the point of view of "band" considerations for metals and it is proposed that in the transition-metal alloys investigated here bonds of another type, close to ionic in character, are superinposed on the pure metallic type of bond. To explain the noticeable influence of the impurity

Card 2/3

KARAL'NIK, S.M.

USSR/Optics - X-Rays.

K-8

Abs Jour

: Referat Zhur - Fizika, No 3, 1957, 8029

Author

: Gertsriken, G.D., Dekhlyar, I.Ya., Karal'nik, S.M.,

Kutsenko, Ye.

Inst

: Kiev University, USSR.

Title

: K Edge of Absorption of Components of Triple Alloys with

a Nickel-Cobalt Base.

Orig Pub

: Nauk. zap. kuvo'k. un-t, 1955, 14, No 8, 121-123

Abstract

: It is established that the K absorption edges of all the components of the Ni-Co-Mn and Ni-Mn-Fe shift towards the shortwave side upon transition from the pure metals of the alloy, and also that the structure of the K-edge

of the manganese becomes more complicated.

These data cannot be explained by the band theory of

metals.

Card 1/1

- 119 -

KARAL'NIK, S.M. [Karal'nyk, S.M.]

Assymetry of the K 1 line and interatomic bonding in metals and alloys of iron-group metals. Nauk povid. KDU no.1:41-42 (MIRA 11:4)

(Metals--Spectra)


KARAL'NIK, S.M.

I-ray spectral satellites external screening. Nauk povid. KDU
no.1:42-44 '56. (MIRA 11:4)


(I-ray spectroscopy)

AND THE PROPERTY OF THE PROPER


```
Study of magnetic changes in metals and alloys at high temperatures, by means of a vibration galvanometer. Nauk povid. KDU no.1:53-55
'56. (Metals at high temperatures)
(Alloys--Magnetic properties)
(Galvanometer)
```



### "APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000720530005-9



# "APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000720530005-9



### KARAL'NIK, S.M.

X-ray spectra and interatomic bonds in alloys. Isv.AN SSSR.Ser. fiz. 20 no.7:815-819 Jl 156. (MLRA 9:11)

1. Kiyevskiy gosudarstvennyy universitet imeni T.G. Shevchenko.
(Alloys-- Spectra) (X-ray spectroscopy)

Karalinik, S. M

K-8

JSSR/Optics - X-Rays

: Referat Zhur - Fizika, No 5, 1957, 13156

Author : Karal'nik,

Karal'nik, S., Makhodkin, N., Meleshko, L.

Inst

Abs Jour

Kill State University, USSR

Title

: Radiographic Study of X-ray Photoelectronic Emission

Orig Pub

Zh. eksperim. i teor. fiziki, 1956, 30, No 4, 780-781

Abstract

: An investigation was made of the dependence of the X-ray photoelectronic emission on the atomic number of the substance. Specimens of compared substances were placed on the photographic plate and exposed to x-rays through the plate. The photoelectron produced by this radiation, and as well as the secondary ("reflected") electrons, cause blackening of the photo plate; Thanks to the great hardness of the radiation (~ 200 kv), its direct photographic action on the plate is negligibly small. For a

Card 1/2

KARAL'NIK, S.M. [Karal'nyk, S.M.]; NIZHNIK, S.B. [Nyzhnyk, S.B.].

On the origin of satellites in X-ray spectra [with summary in Mhglish]. Ukr. fiz. shur. 2 no.4:333-337 O-D 57. (MIRA 11:3)

1. Kiivs'kiy derzhavniy universitet im. T.G. Shevchenka. (X-ray spectroscopy)

#### CIA-RDP86-00513R000720530005-9 "APPROVED FOR RELEASE: 06/13/2000

KARAL NIK, S. 111.

AUTHOR:

Karal'nik, S.K.

48-10-17/20

TITLE:

Exterior Screening and the Fine Structure of X-Ray Spectra (Vneshneye ekranirovaniye i tonkaya struktura rentgenovskikh spektrov)

PERIODICAL:

Izvestiya AN SSSR Seriya Fizicheskaya, 1957, Vol. 21, Nr 10, pp. 1445-1451 (USSR)

ABSTRACT:

With reference to the previous work by the same author (Izvestiya AN SSSR Seriya Fizicheskaya, 1956, Vol. 20, 7, 815) the point of view taken up there is here developed in the direction of a possible explanation of the fine structure of X-ray spectra. First the attempt is made to obtain the amount of screening for the various atom-electrons. On the strength of the computation carried out values are obtained for the charges of the various exterior electrons in the corresponding interior atomic shells of the element with the number Z=26, and are represented together in a table. These values only serve the purpose of orientation. Particular attention is drawn to the fact that the amount of exterior screening is finite even for peripheral electrons with a high principal quantum number value. It is shown that the exterior electrons of various types screen off the interior electrons of

Card 1/2

Exterior Screening and the Fine Structure of X-Ray Spectra

48-10-17/20

the atom in different ways. On the basis of what is said here it is assumed that the X-ray spectra representing processes taking place inside the atom are "sensitive" to interatomic bindings which are realized by the exterior atom electrons. The participation of electrons of different symmetry in these bindings will produce different effects upon the X-ray spectra and will be the cause of minute differences. It is shown that for all elements of the iron group the screening of the internal electrons by the external ones is of the order 0.007. It is shown that the displacement of K-edges observed when carrying out the experiment is due in a considerable degree to the modification of the lowest atomic levels, even though the energy modification of these levels itself is insignificant in comparison with their relative amount. It is shown that in bindings of transition metals the metal-K-edge appears to be shifted in the direction of the shortwave side (compared to its position in pure metal), whereas the  $K_{\beta 5}$ -line is shifted in the direction of the longwave side. There are 2 figures, 4 tables and 8 references, 6 of which are Slavic.

ASSOCIATION:

Kiyev State University imeni T.G.Shevchenko (Kiyevskiy gosudarstvennyy universitet im.T.G.Shevchenko)

AVAILABLE Card 2/2

Library of Congress

## "APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000720530005-9

KARAL'NIK, S.M.

NIKOLAYEVA, L.G. [Nikolaieva, L.H.]; KARARAL'NIK, S.N. [Karal'nyk, S.N.]

Characteristic obsorption of X-rays in binary alloys of iron with nickel, cobalt and chromium. Ukr. fiz. zhur. 4 no.2:260-267 Mr-Ap '59. (MIRA 13:1)

1. Kiyevakiy gosudaratvennyy universitet im. T.G. Shevchenko. (Iron-nickel alloys--Spectra) (Iron-cobalt alloys--Spectra) (Iron-chromium alloys--Spectra)

KARAL'NIK, S.M.; NIKOLAYEVA, L.G. [Nikolayeva, L.H.]; KOROLENKO, Yu.I.

Characteristic absorption of X rays in titanium compounds. Ukr. fiz. zhur. 4 no.3:404-405 My-Je '59. (MIRA 13:2)

1. Kiyevskiy gosudarstvennyy universitet im. T.G. Shevchenko. (Titanium compounds)

Hand therefore the second industrial executives of the construction of the constructio

NESHPOR, V.S.; NIKOLAYEVA, L.G. [Nikolaieva, L.H.]; KARAL'NIK, S.M.; KOROLENKO, Yu.I.

Investigation of the characteristic absorption of X rays in silicides of transition metals. Ukr.fiz.zhur. 4 no.6:814-815 N-D 159. (MIRA 14:10)

1. Kiyevskiy gosudarstvennyy universitet im. T.G.Shevchenko i Institut metallokeramiki i spetsial nykh splavov AN USSR. (X-ray absorption) (Transition metal silicides)

KARATNIK J.M.

1413, 1418, 1555

25575 S/185/60/005/002/010/022 D274/D304

18 9200 AUTHORS:

Nikolayeva, L.G. and Karal'nyk, S.M.

TITLE:

Study of principal K-edge of absorption of X-rays for iron and vanadium alloys in two modifications

PERIODICAL:

Ukrayins'kyy fizychnyy zhurnal, v. 5, no. 2, 1960,

231-234

TEXT: The position of the K-edges of absorption in Fe-Cr alloys, in particular in the  $\alpha$ - and  $\sigma$  phases, is investigated, as well as in Fe-V alloys. An X-ray diffractometer was used, as described by S.M. Karal'nik (Ref. 4: UZhF, 5, 1958). The pulses were counted by a device connected in parallel. The alloys were melted in an argon atmosphere. The specimens were annealed for 10-15 hours at 1100-1200°C. An X-ray structure analysis of the specimens after annealing showed that the alloys with a vanadium concentration of 35 to 48 weight % were in the  $\sigma$ -phase, whereas the other two alloys were in the  $\alpha$ -phase. The specimens undergoing X-ray analysis were spherical. The optimum thickness of these specimens was ex-

Card 1/3

25575 S/185/60/005/002/010/022 D274/D304

Study of principal K-edge...

Card 2/3

perimentally chosen for purposes of greater contrast. It was found that an alternation in the thickness of the specimens did not lead to a change in the position of the K-edges. A table is given with the shifts of the K-edges of Fe and V in their alloys, as compared to the pure elements. It follows from the table that the maximum shift of the K-edges takes place for concentrations of alloys corresponding to the  $\sigma$ -phase; the maximum shift attains  $\sim$  4.5 eV. The position of the K-edges in the o-phase, as compared to the a -phase, is given by longer waves (at same concentrations). These results are analogous to the results obtained by another author for Fe-Cr alloys. It is known that Fe-Cr and Fe-V systems are also similar with respect to the diagram of state and crystallochemical structure of their &- and & phases. As a result of the outlined investigations a simple qualitative interpretation is given of the interatomic mechanism in these alloys. In  $\alpha \leftrightharpoons \sigma$  transitions the electrons are redistributed; 3d-electrons of iron atoms are transferred to the 4-sp levels of chromium and vanadium atoms. This transfer leads to longer wave-length of K-edge position. Such a redistribution of 3d-electrons may lead to a reduction in the mag-

25575 S/185/60/005/002/010/022 D274/D304

Study of principal K-edge...

netic properties of iron atoms; hence it would be one of the reasons for the decline in magnetic properties of alloys in  $\alpha \rightarrow \sigma$  transitions. Another result of the redistribution of electrons is the greater compactness of the crystal lattices. In conclusion, the X-ray method gives more directo proof of changes in electronic state during  $\alpha + \sigma$  transitions. There are 1 table and 8 references: 7 Sovieting  $\alpha + \sigma$  transitions. There are 1 table and 8 references: 7 Sovietbloc and 1 non-Soviet-bloc. The reference to the English-længuage publication reads as follows: N. Mott, K. Stivens, Phil. Mag., 2, 1364-1386, 1957.

ASSOCIATION:

Kyyvs'kyy derzhavnyy universytet im. T.G. Shevchenka

(Kiyev State University im. T.G. Shevchenko)

SUBMITTED:

July 9, 1959

Card 3/3

36748

S/081/62/000/001/001/067 B156/B101

26:1/33~

AUTHOR:

Karal'nik, S. M.

TITLE:

Approximate calculation of ionization energies of atoms and

ions

PERIODICAL:

Referativnyy zhurnal. Khimiya, no. 1, 1962, 5-6, abstract 1B12 (Visnik Kiyvs'k. un-tu, no. 3, 1960, ser. fiz. ta

khimiy, no. 1, 43-48)

TEXT: It is shown that the ionization energies (potentials) of elements can be computed approximately, in many cases, by introducing Z(eff.) in the most simple possible manner and using the atomic radius values. The values of Z(eff.) for elements calculated by the inverse method reflect the pattern of reduction in the chemical activities of elements accompanying increase in Z(eff.). An attempt is made, on the basis of the Mendeleyev table, to predict ionization potentials and atomic radii for cases in which they have not yet been determined by experiments. [Abstracter's note: Complete translation.]

Card 1/1

NESHPOR, V.S.; KOROLENKO, Yu.I.; KARAL'NIK, S.M.

Studying the characteristic absorption of X radiation from transitional elements of the first group by their silicides. Ukr.fiz.zhur. 5 m.6:826-864 N-D '60. (MIRA 14:4)

1. Kiyevskiy ordena Lenina gosudarstvennyy universitet im. T. G. Shevchenko i Institut metallokermiki i spetsial'nykh splavov AN USSR, £. Kiyev.

(Absorption)
(Transition metal silicides)

ב לככ ב

KARAL'NIK, S.M.

S/185/61/006/001/009/011 D210/D305

18.8100

Karalinyk, S.M., Nikolayoa, L.H., Morkina, A.S. and

Buyanov, Yu.I.

TITLE:

AUTHORS:

Study of the characteristic absorption of zinc and copper in their alloys with aluminum and magnesium

PERIODICAL:

Ukrayins'kyy fizychnyy zhurnal, v. 6, no. 1, 1961,

121-218

The authors investigated the displacement of the K-edge of copper in its alloys with aluminum, and that of zinc in its alloys with Al and Mg. The methods of investigation are not given, only references to previous publications. The results obtained were compared with the characteristic absorption of pure Zn and Cu and of some of their compounds; in the latter case, the authors' data are in fair agreement with those published abroad Abstracter's note: Formulae of the compounds not given 7. The authors state that although the methods used lacked precision they tried to remedy this by a very large number of measurements and by changing the experi-

Card 1/3

CIA-RDP86-00513R000720530005-9" APPROVED FOR RELEASE: 06/13/2000

Study of the characteristic...

\$/185/61/006/001/009/011 D210/D305

less marked. In the authors' opinion this result points to a considerable change in energy levels of electrons of the added atoms provided that concentration of the latter is small. The possibility is discussed of regrouping electrons in the atoms of Cu and Zn from 4s to 4D level causing a "swelling" of respective atoms. By raising the temperature, the lattice of aluminum expands and is able to accommodate the admixture atoms. But the K-edge shift could be explained alternatively as In and Cu atoms loosing their 4s electrons altogether, as they do in their compounds. The loss of the screening effect of these electrons may lower the energy of the K level, shifting the K-edge toward shorter waves. The authors express their gratitude to M.N. Bryl and I.B. Staryy of the Pedinstitut of Odessa and S.A. Nemnonov from Sverdlovsk for their aid in spectrographic determinations. There are 3 figures, 4 tables and 12 references: 11 Soviet-bloc and 1 non-Soviet-bloc.

ASSOCIATION:

Kyyivs kyy ordena Lenina derzhavnyy universitet im. T.H. Shevchenko (Order of Lenin State University of Kiyev im T.H. Shevchenko)

SUBMITTED. Card 3/3

June 17, 1960

36130

24.7300

S/185/62/007/003/012/015 D299/D301

AUTHORS:

Karalinyk, S.M., Hurs'ka, A.P. and Dobrovol's'kyy V.D.

TITLE:

Study of characteristic absorption of X-rays by ger-

manium-aluminum alloys

PERIODICAL:

Ukrayins'kyy fizychnyy zhurnal, v. 7, no. 3, 1962,

327 - 330

TEXT: The position of the K-edge of absorption of Ge in the investigated alloys was studied in comparison with its position in pure Ge. The Al-Ge alloys contained 1, 2, 3, 8, 27 and 98 atom. % Ge, respectively. The displacement of the K-edge of absorption in Al-Ge and in pure Ge at high temperatures (400 - 430°C) was compared with its position at room temperature. The tabulated values are the average results of many repeated experiments. Thereby, the thickness of the absorbing layers varied, as well as the height and width of the diaphragm, the operating conditions of the X-ray tubes, and the number of pulses. The shape of the K-edge was similar to that obtained

Card 1/3

S/185/62/007/003/012/015 D299/D301

Study of characteristic ...

by other investigators. It was found that at high temperatures, the K-edge of absorption of Ge was considerably shifted (about 6 ev.) for low Ge concentrations (2 - 3 atom.%). No such shift was observed at room temperature. The K-edge shift at high temperatures is related to the complete dissolution of Ge in the solid solution. It is noted that the magnitude of the observed shift is greater than that of GeO2. The K-edge shift in the system Al-Ge is explained by a mechanism proposed in S.M. Karal'nyk et. al (Ref. 1: Ukr. fizychn. zh., 6, no. 1, 1961); thereby it is assumed that the redistribution of electrons of the Ge-atoms during its dissolution in Al, takes place at external orbits and the size of the Ge-atoms increases. The present study shows that the results obtained in Ref.1 (Op. cit.) (with Cu-Al and Zn-Al) are not accidental, but apply to various systems. The value of the obtained results would increase even further, if the X-ray investigations were extended to the spectra of the solvent (in the given case -- Al). There are 2 tables and 5 references: 4 Soviet-bloc and 1 non-Soviet-bloc.

Card 2/3

KARAL'NIK, S.M

L 18256-63 EWI(d)/EWI(1)/EWP(q)/EWI(m)/BDS AFFTC/ASD WW/JW/JD

63

ACCESSION NR: AP3002124

5/0185/63/008/006/0690/0693

AUTHOR: Karaling k S. M., Karaling ky V.P.

TITLE: Study of the characteristic K-absorption of K-rays at the liquid oxygen

SOURCE: Ukrains kyy Fizychnyy zhurnal, v. 8, no. 6, 1963, 690-693.

TOPIC TAGS: K-absorption edge, X-ray absorption, K-edge, transition metals, temperature dependence, cryostat, fermi level.

ABSTRACT: The K-edge absorption of X-rays was studied a number of elements from vanadium to germanium, ..., though only studies of iron, manganese and copper were reported. The study was made in a specially constructed cryostat, at a temperature of minus 180C and at room temperature. No changes in the energy position of the K-edge absorption were observed within the temperature range studied. The results obtained differ from those of other investigators, but the authors emphasized the great accuracy of their measurements. B. A. Mel'nik took part in the measurements. "We take the opportunity to express our thanks to coworkers of the experimental laboratory of the faculty of physics tovarishches Grechanivskiy

Card : 1/2

. 1	L 18256-63				· · · · · · · · · · · · · · · · · · ·	<del> </del>	
	ACCESSION						3
	and Yuneev 1 table.	for maki	ing the cry	ostat." Or	ig. art. has	: l formula,	1 figure and
	ASSOCIATIO	N: Ky*yi (Kiev	.vs'ky*y Den v State Univ	rzhuniversy versity im.	*tet im. T. T. G. Sheve	G. Shevchenka	•
	SUBMITTED:	12 Dec	62 DA	TE ACQ: 1	2 Jul 63	ENCL: 00	
	SUB CODE:	PH	· NO	REF SOV:	006	OTHER: 004	
	•		•			•	
				en e			
	• • • •				and the second		
	Card 2/2	<del></del>	<del></del>	•			

TOVBIN, M.V.; KARAL'NIK, S.M.

Chain mechanism of heterogeneous catalysis. Ukr. khim. zhur. 30 no.6:575-577 '64. (MIRA 18:5)

1. Kiyevskiy gosudarstvennyy universitet imeni Shevchenko.

## "APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000720530005-9

ENT(m)/ENG(m)/ENP(b)/ENP(t) IJP(c) RDM/JD. L 64772-65 UR/0185/65/010/006/0668/0671 ACCESSION NR: AP5015442 AUTHORS: Karal'nyk, S.M. (Karal'nik, S.M.); Nesenyuk, Dobrovol's'kyy, V.D. (Dobrovol'skiy, V.D. TITLE: X-ray spectral study of various modifications of selenium SOURCE: Ukrayins'kyy fizychnyy zhurnaî, v. 10, no. 6, 1965, 668-671 TOPIC TAGS: selenium, x ray absorption, x ray spectroscopy, selenium compound, crystal structure ABSTRACT: The K edge of selenium was observed with the fourth order reflection from NaCl. The dispersion was 4.5 eV/minute. Several intensity curves were obtained for each sample and averaged. A study of the samples with the aid of powder cameras and diffractometers indicated their crystalline state. Hexagonal, monoclinic, vitreous amorphous and red amorphous selenium were investigated. The absorption of x-rays was studied by introducing a number of thin pieces of

L 64772-65

ACCESSION NR: AP5015442

paper covered with a thin layer of the investigated modification into the beam. The hexagonal sample served as the standard. About 3000--4000 pulses were counted at each point of the intensity curve. The positions of the K edge in hexagonal and monoclinic selenium coincide within the error of 1.5--2 eV. The K edge of vitreous amorphous selenium was shifted 4.5 eV to the long-wavelength side compared with the hexagonal standard. In red amorphous selenium the K edge is shifted by 5.5 eV to the short-wavelength side. The K edge of selenium dioxide is shifted 4.5 eV to the short-wavelength side. The absence of a shift in the two crystalline modifications : . . . that the electron structures of the atoms in these modifications not differ appreciably. The shift in the vitreous amorphous modification was expected. The shift in the red amorphous selenium is surprising and indicates that the atoms of the two amorphous modifications do not have the same electron charge distribution, the red form having a distribution similar to that of selenium in the disxide. This indicates that in the oxide the electrons are not fully trans-

Card 2/3

## "APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000720530005-9

L 61,772-65	٠,	
ACCESSION NR: AP5015442		6
pulled away from the sele that in the red amorphous which can be interpreted bonding. "We express our	n but, like in the amorphorenium atom. It can also not selenium the atoms are condicate an increase in gratitude to N. Ya. Karkl	ot be excluded loser to each other n the interaconic haninator advice
for obtaining its various		,
ASSOCIATION: Kiyivs'kiy (Kiyevskiy gosudarstvenny (State University)	derzhuniversytet im. T. G	. Shevchanka
ASSOCIATION: Kiyivs'kiy (Kiyevskiy gosudarstvenny (State University)	derzhuniversytet im. T. G y universitet im. T. G. S	. Shevchanka
ASSOCIATION: Kiyivs'kiy  [Kiyevskiy gosudarstvenny  State University)  W	derzhuniversytet im. T. G y universitet im. T. G. S	. Shevchanka hevchenko] (Kiev
ASSOCIATION: Kiyivs'kiy (Kiyevskiy gosudarstvenny State University)  SUBMITTED: 05Aug64	derzhuniversytet im. T. G y universitet im. T. G. Si ENCL: 00	. Shevchanka hevchenko] (Kiev SUB CODE: SS, OP

MARALIMIK, S.M. | Karalinykh, S.M.]

Chemical shift of K-levels of elements. Ukr. fiz. zhur. 10 no.8:913-915 Ag '65. (MINA 18:8)

1. Kiyevskiy gosudarstvennyy universitet im. Shevehenko.

KARAL-OGLY, G. R., Cand Med Sci -- (diss) "Study of structural shifts in organs of internal secretion (hypophysis, thyroid, and the suprarenal gland) in hypothermy." Tbilisi, 1960. 17 pp; (Tbilisi State Medical Inst); 300 copies; price not given; (KL, 28-60, 165)

#### KARAL-OGLY, G.R.

Study of structural changes on the adrenal glands in hypothermia. Sbor. trud. Med. nauch. ob-vo Abkh.2:29-36 '59. (MIRA 14:10)

l. Iz Instituta eksperimental'noy i klinicheskoy khirurgii i gematologii AN GruzSSR (direktor - akademik AN GružSSR K.D.Eristavi). (HYPOTHERMIA) (ADRENAL GLANDS)

PALEY, P.N.; KARALOVA, Z.K.

Effect of fluorides on the determination of uranium in the presence of beryllium. Zhur.anal.khim. 17 no.4:528-529
Jl '62. (MIRA 15:8)
(Uranium—Analysis) (Fluorides) (Beryllium)

s/075/62/017/008/003/004 E071/E135

**AUTHORS:** 

Karalova, Z.K., and Nemodruk, A.A.

TITLE:

Extraction-photometric determination of boron

in heryllium oxide

PERIODICAL: Zhurnal analiticheskoy khimii, v.17, no.8, 1962,

985-989

The existing methods of determining boron in beryllium TEXT: oxide (particularly ignited) are laborious and insufficiently accurate. For this reason the following method was developed. Decomposition of the sample with hydrofluoric acid, which results in formation of brilliant green tetrafluoroborate, its extraction with benzene and measurement of the optical density of the extract obtained. The analytical procedure is described in detail. The calibration curve should be constructed using boron-free beryllium oxide; the method of preparation of such oxide is described. The sensitivity of the method is 5.10-6% and the experimental error in determinations from 5.10-5 to 2.10-3% boron in beryllium oxide does not exceed 10%. There are 3 figures and 1 table.

Card 1/1

SUBMITTED: February 8, 1962

#### "APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000720530005-9

L 10615-63

EWP(q)/EWT(m)/BDS

AFFTC/ASD

ACCESSION NR: AP3001023

S/0075/63/018/005/0615/0617

AUTHOR: Karalova, Z. K.; Nemodruk, A. A.

TITLE: Extraction-photometric determination of boron in uranium

SCURCE: Zhurnal analiticheskoy khimii, v. 18, no. 5, 1963, 615-617

TOPIC TAGS: extraction-photometric method, uranium tetrafluoride, hydrogen peroxide, methylene blue tetrafluoroborate, dichlorethane

ABSTRACT: The extraction-photometric method described comprises decomposing the boron-containing uranium tetrafluoride sample in a carbonate (5:1 ammonium carbonate) solution in the presence of hydrogen peroxide, extracting the B with dichlorethane in the form of methylene blue tetrafluoroborate for very acid (pH = 1 or less sulfuric acid solution, and measuring the optical density of the extract. Sensitivity of the method is 8 x 10 sup -5%; experimental error for amounts of 8 x 10 sup -5 to 4 x 10 sup -3 of B is within + or - 5%. Orig. art. has: 1 table

ASSOCIATION: none

SUBMITTED: 18May62

SUB CODE: 00

DATE ACQD: 12Jun63 NO REF SOV: 001

ENCL: 00 OTHER: 002

NEMODRUK, Aleksandr Andreyevich; KARALOVA, Zinaida Konstantinovna; VINOCRADOV, A.P., akademik, glav. red.; PALEY, P.N., red.; VOLYNETS, M.P., red.

[Analytical chemistry of boron (5B<sup>10,811</sup>)] Analiticheskaia khimiia bora (5B<sup>10,811</sup>). Moskva, Nauka, 1964. 282 p. (MIRA 17:11)

KARALOVA, Z.K.; SHIBAYEVA, N.P.

Determination of microamounts of sulfate ions in highpurity water. Zhur. anal. khim. 19 no.2:258-260 '64. (MIRA 17:9)

1. Institut geokhimii i analiticheskoy khimii imeni Vernadskogo AN SSSR, Moskva.

#### "APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000720530005-9

EWT(m)/EWP(t)/ETI IJP(c) WW/JD/JG L 35836-66 ACC NR: SOURCE CODE: UR/0075/66/021/001/0126/0128 AP6016302 Paley, P. N.; Karalova, Z. K.; Shibayeva, N. P.; Pyzhova, Z. I. AUTHOR: The second section of the second section secti ORG: none TITLE: Determination of ionium and total thorium isotopes in cranium SOURCE: Zhurnel eneliticheskoy khimii, v. 21, no. 1, 1966, 126-128 TOPIC TAGS: isotope separation, ionium, thorium, uranium compound, quantitative analysis , RADIOISOTOPE , CHEMICAL PURITY ABSTRACT: The article reports a method for separating and purifying thorium isotopes | based on precipitation of calcium oxalate and anion exchange in a hydrochloric acid medium. The completeness of the precipitation of the thorium isotopes on the calcium oxalate, with a Th:U ratio of 1:40,000, was confirmed by experiments with synthetic mixtures. The radiochemical purity of the Th 30 (ionium) separated out was confirmed by data from elpha-spectrometric analysis. The yield of the Th<sup>230</sup> was 81-95%. As an example of the method, the article describes the separation of thorium isotopes from solid samples. Orig. art. has: l table. SUB CODE: 18,07/ 08Jun64/ SUBM DATE: ORIG REF: 543.70 UDC:

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000720530005-9"

#### "APPROVED FOR RELEASE: 06/13/2000

## CIA-RDP86-00513R000720530005-9

DS/JD/WW/JG/RM EWI(m)/EWP(t)/ETI IJP(c) SOURCE CODE: UR/0075/66/021/007/0874/0876 ACC NR: AP6024293 (N) AUTHOR: Paley, P. N.; Karalova, Z. K.; Shibayev, N. P.; Pyzhova, Z. I. ORG: none TITLE: Separation of ionium ( $^{230}_{90}$ Th) from uranium, protactinium, iron, manganese, and europium by cation exchange SOURCE: Zhurnal analiticheskoy khimii, v. 21, no. 7, 1966, 874-876 TOPIC TAGS: ionium, iron, uranium, protactinium, manganese, europium, cation exchange, thorium isotope ABSTRACT: A method has been suggested for separating ionium (thorium 230 isotope) from U, Pa, Fe, Mn, and Eu in an 0.1 N solution of  $H_2SO_4$  by a  $\overline{KU-2/cation}$ exchange resin! The method is based on separate extraction of absorbed elements: first U, Fe, Mn, Eu, and Pa and extracted by a 2 N solution of HNO3, then the resin is washed with a 1 N solution of H<sub>2</sub>SO<sub>4</sub> to completely remove protactinium. Ionium is extracted by a saturated ammonium carbonate solution and measured radiometrically UDC: 543.544 Card 1/2

ACC NRI AP6033383 (N) SOURCE CODE: UR/0075/66/021/008/0950/0953 11 B AUTHOR: Karalova, Z. K.; Shibayeva, N. P.; Pyzhova, Z. I. TITLE: Express method for separating ionium (Th<sup>230</sup>) from uranium sulfate ORG: none SOURCE: Zhurnal analiticheskoy khimii, v. 21, no. 8, 1966, 950-953 solutions TOPIC TAGS: anion exchange resin, express method, rapid method, ionium separation, cation exchange resin, radiometric determination, uranium sulfate, ABSTRACT: Date on the absorption of Th<sup>230</sup>, U, Pa, Po, Zr, rare earths, Fe, thorium isotope and Mn on sorbents depending on the concentration of sulfuric acid are given, and a rapid method developed for ionium determination in sulfuric acid uranium solutions is described. Ionium is separated from a number of other elements in solutions is described. John is separated from a number of other elements of 0.05—1 N H<sub>2</sub>SO<sub>4</sub> on a AB-17 anion-exchange resin, then the filtrate is passed through KY-2 cation-exchange resin. The elements sorbed together with ionium are removed by 2 N HNO3, then ionium is eluated with a saturated ammonium carbonate solution and determined radiometrically. The extraction precent is Card 1/2

**医性性的性性性的现在分词。由他的自己的特别的**是不是

ACC NR: AP6034978 (N) SOURCE CODE: UR/0075/66/021/009/1133/1135

AUTHOR: Karalova, Z. K.; Shibayeva, N. P.; Pyzhova, Z. I.

ORG: none

TITLE: Photometric analysis of thorium traces using arsenazo III in preparations containing large amounts of zirconium and uranium

SOURCE: Zhurnal analiticheskoy khimii, v. 21, no. 9, 1966, 1133-1135

TOPIC TAGS: uranium, resin, thorium, zirconium, ion exchange resin, anionite, photometric analysis, trace analysis

ABSTRACT: The ion exchange separation of thorium from uranium and zirconium is performed using AB-17 anion exchange resin in 1 N  $_2SO_4$ . Under these conditions, thorium, unlike uranium and zirconium, is not absorbed by the resin but passes into the filtrate in the form of the neutral complex  $[Th(SO_4)_2]^0$ . A description is given of a method to determine thorium by using arsenazo III in 0.5 N  $_2SO_4$ + 0.5 N HCl after its separation from zirconium in amounts 10,000

Card 1 / 2

UDC: 543.70

exch	ange re	esin in 1	N H <sub>2</sub> SO	4. Orig. a	rt. has: 2	figures and 2	using AN-17 a	amon [G
SUB		07, 08				ORIG REF		
	•				. 1			
								*
						•		•
	•							
		· · · · · · · · · · · · · · · · · · ·		•	<i>;</i>			
	•	•				•		

POL/7-60-22-3/46

AUTHOR:

Karalus, Melchior (Poznań-Luboń)

TITLE:

Let Us not Forget About Ornithopters and Muscle Powered Flights.

PERIODICAL:

Skrzydlata polska, 1960, No. 22, p. 2

TEXT: This article contains an open letter directed to the editor of this periodical. The author of this letter inquires whether any research is done in Poland on ornithopters and if so, whether or not successful flights were made. Further, he inquires, whether the APRL has an ornithopter section. In the second part of the article, the editor of this periodical answers the above questions. He points out that the APRL has no ornithopter section, and the Central Aeroclub imeni Tchekalov, in Moscow does conduct research on this subject.

Card 1/1

#### Karalvanov, G.

Chemical nickel plating. p. 36.

TEKHNIKA. (Suiuz za nauchno-tekhnicheskite druzhestva v Bulgaria) Soffia, Bulgaria. Vol. 8 no. 9, 1959.

Monthly List of East European Accessions EEAI) LC, Vol. 9, No. 2, Feb. 1960. UNCL

KARALYUNAS, Yu. B.

KARALYUNAS, Yu. B.: "The treatment of breaks in the clavicle by using the intraosteal metallic pin." Vil'nyus State U imeni V. Kapsukas. Vil'nyus, 1956. (Dissertation for the Degree of Candidate

in Medical Sciences.)

Source: Knizhnaya letopis' No 40 1956 Moscow

L 57604-65 EFT(d)/ESC(k)-2/EEC-4/STD-2/EEC(c)-2 Pn-1/r0-4/Pac-4/Pa

。 第四十二章 1915年,1915年,1915年,1915年,1915年,1915年,1915年,1915年,1915年,1915年,1915年,1915年,1915年,1915年,1915年,1915年,1915年,1

SOURCE: Ref. zh. Avtomat, telemekh. i vy hisl. tekhn. Sv. t., Abs. 9A415

84 B

AUTHOR: Vigand, A. G.; Zibert, A. N.; Kevalyus, A. A.

TITLE: Electromagnetic receiving device of a pulse-time telemetering system 4

CITED SOURCE: Sb. tr. Karagandinsk. n.-1., proyektno-konstrukt. i eksperim. in-t, ab. 1, 1964, 230-232

TOPIC TAGS: telemeter, telemeter system, pulse time telemetering

TRANSLATION: The principle of operation and design of an electromagnetic converter of pulse duration into digital-disk angle are descrited. The converter includes a shaft rotating at a constant speed, electromagnetic holding and measuring couplings rigidly fastened to brackets, and digital disks freely rotatable on the shaft. With no rules, the measuring coupling is de-energized, and the digital like is the at rest by the holding coupling. When a pulse arrives, the holding coupling is de-energized, and the current flows into the measuring coupling which stirkeds the digital disk and causes its engagement with a friction disk rigidly factor shaft. The friction disk entrains the digital disk. By the end of the pulse, the

Card 1/2

	L 57604-65 ACCESSION NR: AR5000573
	ccuplings are switched, and thus the angle of the digital disk is proportional to the pulse duration. The readings are retained until the plant scanning cycle has been finished, after which the readings may be cleared by a re-setting frame. Two illustrations.
	SUB CODE: EC, IE KNCL: 00
ŀ	i L
;	

THE REPORT OF THE PARTY OF THE

EWT(d)/EEC(k)-2/EEC-4/EEC(c)-2/EED-2 Pn-4/Pq-4/Pac-4/Pae-2 L 57600-65 5/0271/64/000/009/2064/2064 ACCESSION NR: AR5000572 621.398 SOURCE: Ref. zh. Avtomat. telemekh. i vyshisl. tekhn. Sv. t., Abs. 9A401 AUTHOR: Karalyus, A. A. TITLE: Method for the joint use of supply and telesignal channels in a timedivision telemechanical system CITED SOURCE: Sb. tr. Karagandinsk. n.-i., proyektnokonstrukt. i eksperim. in-t, st, 1, 1964, 232-240 TOPIC TAGS: telemeter, telemeter system, mine gas telemetering TRANSLATION: The principle and the scheme are described of a system with a joint supply-and-telesignal channel consisting of a two-wire line. The channel print use is caused by the absence of supply sources at the places where sensors are located, in the telemetering system transmitting the parameters of mine at the same telumetering system, the 50-ops ac is used for supply, and d-c pulses. for tele-metering. The d-c pulses are produced at the transmitting end by rectifying the a-c supply; the pulses are superposed on the a-c line and transmitted to the . Card 1/2

	L 57600-65 ACCESSION NR: AR5000572		
	and d-c currents is effected by semiconductor diedes whic contacts. It is noted that t contactless circuits. Scheme	isolated by means of line relays. by capacitors; the heteropolar define connected to the circuit by the line electromagnetic relays can sof the above system and a graphopresented. Eight illustrations. B	-c pulses are shaped the line-relay be replaced by analylical method of
	SUB CODE: EC, IE	ENCL: 00	
Amount of the second of the se			
	i serial con estatisco en eng	State of the contract of the state of the st	

L 63671-65
ACCESSION NR: AR5003333

S/0271/64/000/011/A005/A005 621.316:62-55

SOURCE: Ref. zh. Avtomatika, telemekhanika i vychislitel naya tekhnika. Svodnyy tom, Abs. 11A31

AUTHOR: Brandorf, B. S.; Karalyus, A. A.; Kibrik, I. S.

TITLE: Capacitor-relay distributor

CITED SOURCE: Sb. tr. Karagandinsk. in.-1. proyekino-konstrukt. 1 eksperim. in-t, sb. 1, 1964, 240-242

TOPIC TAGS: capacitor relay distributor, matrix output binary counter, binary counter

TRANSLATION: A capacitor-relay distributor is described which is, in fact, a binary counter with matrix output. Each digit of the counter has one 2-winding polarized RP-4 relay. A multidigit counter can be constructed by connecting the leftmost-digit switching circuits in series and in parallel. The parallel connection enhances speed of operation. Three illustrations.

SUB CODS: DP, IB
Cond 1/1

ENCL: 00

EWT(d)/EWP(1) IJP(c) BB/GG 24340-66 UR/0413/66/000/002/0099 SOURCE CODE: ACC NR: AP6006368 AUTHOR: Karalyus, A. A. ORG: none TITLE: A direct current integrator. Class 42, No. 178122 /announced by Karaganda Scientific Research, Design-Construction and Experimental Institute for the Construction of Mining Machines and Mechanisms (Karagandinskiy nauchnoissledovatel'skiy, proyektno-konstruktorskiy i eksperimental'nyy institut po sozdaniyu gornykh mashin i mekhanizmov)7 SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 2, 1966, 99 TOPIC TAGS: error minimization, direct current, integrated circuit ABSTRACT: This Author Certificate presents a direct current integrator containing a passive intregrating circuit. The design provides total compensation for the theoretical error of the passive integrating circuit. The plate of the capacitor used as the output of the passive integrating circuit is connected through an amplifier to the input of the null wnit. The output voltage of the null unit controls a switch which connects the monitoring capacitor (through a direct voltage source) with the compensating capacitors and with the second plate of the capacitor of the passive integrating circuit. Two other inputs of the null unit are connected with the direct voltage source and with the monitoring capacitor. The charge and discharge of the monitoring capacitor are accomplished by switches controlled by a pulse generator. SUB CODE: 09/ SUBM DATE: 29Jul64 1/1 dda UDC: 681.142

ACC NR: AP6032491

SOURCE CODE: UR/0413/66/000/017/0032/0033

INVENTOR: Karalyus, A. A.; Brandorf, B. S.; Kovalev, A. P.; Ogarkov, V. F.

ORG: none

TITLE: Reception device for telemechanical systems with remote power supply of the monitored point over the communication line. Class 21, No. 185376 [announced by the Karaganda Scientific Research, Design and Planning, and Experimental Institute for the Development of Mining Machinery and Mechanisms (Karagandinskiy nauchno-issledovatel skiy proyektno-konstruktorskiy i eksperimental nyy institut po sozdaniya gornykh mashin i mekhanizmov)]

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 17, 1966, 32-33

TOPIC TAGS: signal reception, transistor, voltage divider, transistor relay, integrating, RC circuit, signal front rise time, signal decay time

ABSTRACT: The proposed signal reception device for remote control systems with remote power supply of the monitored point over the communication line contains, for the purpose of reducing the rise time of the d-c pulse-time signal front, a tran-

Card 1/2

UDC: 621, 398;621, 396, 229

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000720530005-9"

# ACC NR: .AP6032491

sistor connected in the line by a collector-base junction, an integrating RC-circuit, a linear voltage divider, and a transistor relay. The output of the integrating RCcircuit is connected to the linear voltage divider whose output is connected to the input of the transistor relay. The output of the latter is connected to the transistor key. The emitter of the transistor, connected in the line, is connected with the supply plus-terminal through the transistor key. For the purpose of reducing the decay time of the d-c pulse-time signal, the device is also supplemented with two transistor keys, an integrating RC-circuit, and a second transistor relay. The output of the first transistor relay is connected through a transistor key with the auxiliary integrating RC-circuit, whose output is connected to the input of the second transistor relay. The output of the latter is connected through a transistor key with the linear voltage divider.




Fig. 1. Reception device. T-1—Transistor;  $P_1$ ,  $P_2$  and  $P_3$ —transistor relays;  $K_1$ ,  $K_2$ and Ko-transistor keys

SUB CODE: 09/SUBM DATE: 25Jul64/

	KARAMA, A.
	Technology news, Grazhd. av. 19 no.5:25 My 162. (MIRA 18:6)
	1. Nachalinik tekhnologo-konstruktorskogo byuro Vnukovskikh linevnykh ekspluateisionno-remontnykh masterskikh
٠	They have the state of the stat
İ	
	·

KARAMA, A.; ZAKHAREVICH, L., inzh.

Streams are so different. Grazhd. av. 19 no.6:17 Je '62. (MIRA 18:6)

1. Nachal'nik tekhnicheskogo i konstruktorskogo byuro Vnukovskikh lineynykh ekspluatatsionno-remontnykh masterskikh (for Karama).

GANEV, G.; KHADZHIEV, D.; KARAMALAKOV, L.; TSEKOVA, M.; SIPAKOV, A.; ATANASOV, K.; CHANKOV, I.; TSOLOV, N.; VASILEVA, I.

是是自己的 1500mm,1500mm,1500mm,1500mm,1500mm,1500mm,1500mm,1500mm,1500mm,1500mm,1500mm,1500mm,1500mm,1500mm,1500mm

Treatment of parkinsonism with a new preparation INHA-17. Suvrem med., Sofia no.4/5:35-44 161.

1. Iz Nauchnoissledovatelskiia institut po nevrologiia i psikhiatriia. (Direktor G. Ganev).

(ISONIAZID rel cpds) (PARALYSIS AGITANS ther)

GANEV, G.; KARAMALKOV, L.; KHADZHIEV, D.; TSEKOVA, M.; SIRAKOV, A.; ATANASOV, K.; MANKOV, Iv.; TSOLOV, N.; VASILEVA, I.

Treatment of parkinsonism with a new combined preparation INHA-17 with Bellapan (Bellazon). Suvrem med., Sofia no.4/5:45-53 \*61.

1. Iz Nauchmoissledovatelskiia institut po nevrologiia i psikhiatriia. (Direktor G. Ganev.)

(ISONIAZID rel cpds)
(PARALYSIS AGITANS ther)
(BELLADONNA ther)

BULGARIA/Human and Animal Physiology - Nervous System. Sleep.

T-10

Abs Jour : Ref Zhur - Biol., No 18, 1958, 84628

Author : Karamalakov, P.

Inst : Scientific Research Institute of Psychoneurology.

Title : Changes of Motor Chronaxy in Some Neurosis Patients during

Sleep and During Transitional States.

Orig Pub : Tr. Nauchnoizled. psikho-nevral. in-t, 1955, 2, 37-44

Abstract : In 28 cases of human neuroses (neurasthenia, hysteria,

psychasthenia), chronaxy of flexor digitorum sublimis and of common extensor digitorum was observed to become longer within the dynamics of transition into the state of sleep. Subordinate relationships between antagonists depended upon phases of sleep. As a rule, chronaxy indicators at awaken-

ing time were lower than initial indicators. -- K.S. Rat-

ner.

Card 1/1

#### KARAMAN, Gordan S.

The Niphargus genera of the Lake Ohrid and its environs. Fragmenta Balk Skopje 4 no.26:197-207 '63.

SCHMIDT, Lubos; MAIER, Jan; KARAMAN, Ladislav; VORLICKOVA, Hozena

Evaluation of foreign sugar best varieties according to the results of variety tests in Czechoslovakia in the years 1956-1963. Listy cukrovar 81 no.1:2-11 Ja '65.

1. Submitted July 6, 1964.

VASIL'YEV, Vasiliy Vasil'yevich; KARAMAN, Mikhail Minovich; PANEVSKIY, Nikolay Petrovich; ZHILYAKOVA, O., red.; ISUPOVA, N., tekhn. red.

LYS RENT EARTH 1845-1459-1644-1940-144-154 1941-164 1955-144 1958-144-144 145-14-144-145-14-14-14-14-14-14-14-1

[Collective farm on the upsurge]Kolkhoz na pod meme. Simferopol', Krymizdat, 1962. 30 p. (MIRA 15:11) (Collective farms—Management)

# KARAMAN, Mladen S.

Galathea bolivari Zar., a new genus of Decapoda in the Adriatic. Biol vest no.10:69-70 '62.

KARAMAN, Mladen S.

Ichtyofauna of Macedonia. Biol glas 15 no.3:187-192 '62.

1. Zavod za ribarstvo, Skopje.

。 1、中华省市广东省市市大学市区通过规划的基础等的中国和共和国和国际、大学市场的共和国的共和国的企业工作,在大学的企业工程,在中国的企业工程,在中国的企业工程的企

#### KARAMAN, N.V.

Modification of pancreatic function following gastric resection.

Vrach.delo no.7:753 J1 58 (NIRA 11:9)

1. Propedevticheskaya khirurgicheskaya klinika (zav. - zasl.deyatel' nauki, prof. I.Ya. Deyneka) pediatricheskogo i sanitarno-gigiyenicheskogo fakul'tetov Odesskogo meditainskogo instituta.

(STOMACH—SURGERY)

(PANCREAS)

KARAMAN, N.V.; RABOTNIKOV, V.Sh.

。 1912年,1912年,1914年,1918年,1918年,1918年,1918年,1918年,1918年,1918年,1918年,1918年,1918年,1918年,1918年,1918年,1918年,1918年,19

> Analysis of agricultural accidents in Berezno District. Rovno Province from 1931 to 1955. Nov.khir.arkh. no.6:137 N-D '58. (MIRA 12:3)

1. Whirurgicheskoye otdeleniye Bereznovskoy rayonnoy bol'nitsy.
(BEREZNO DISTRICT -- AGRICULTURE -- ACCIDENTS)

KARAMAN, N. V., Candidate Med Sci (diss) -- "Changes in the functions of the pancreas following gastric resection". Odessa, 1959. 14 pp (Odessa State Med Inst im N. I. Pirogov), 200 copies (KI, No 25, 1959, 140)

#### KARAMAN, N.V.

Change in the function of the pancreas and liver following storach resection. Vrach. delo no.8:27-29 Ag '60. (MIRA 13:9)

1. Propedevticheskaya khirurgicheskaya klinika (zav. - zasl. deyatel' nauki, prof. I.Ya. Deyneka) Odesskogo meditsinskogo instituta. (LIVER)

KARAMAN, N.V., kand.med.nauk; OSTROVSKIY, V.P.

Some rare diseases of the thyroid gland. Vrach. delo ro.3:86-89 Mr '64. (MIRA 17:4)

1. Klinika o' shchey khirurgii (zav. - prof. Ye.D.Dvuzhil'naya) lechebnogo fakul'teta Odesskogo meditsinskogo instituta.